## HISTORY FACILITY PROFILE

PROVIDER #: 46G017 WEST SIDE CENTER FACILITY BEDS TYPE ACTION: RECERTIFICATION PHONE NUMBER: (801) 968-8122 TOTAL: 16 4028 S 4800 W

TYPE OWNERSHIP: PRIVATE NON PROFIT WEST VALLEY UT 84120 PARTICIPATION DATE: 12/11/1987 CERTIFIED: 16

STATE'S REGION CODE: 001

COMPLIANCE STATUS: FACILITY MEETS REQUIREMENTS BASED ON AN ACCEPTABLE PLAN OF CORRECTION

RESIDENT CENSUS ON		LTC AGREEMENT DATES			TOTAL CERTIFIED BEDS: 16			
TOTAL:	15		BEGINNING:	02/01/2002	18	18/19	19	ICF/MR
MEDICARE:	0		ENDING:	11/30/2002				
MEDICAID:	0		EXTENSION:	01/31/2003				16
OTHER:	0	ADMISSION	SUSPENDED:					
		SUSPENSION	RESCINDED:					

CURRENT SURVEY REVISIT DATES - 01/08/2002

1985

PRIOR 3 SURVEY 10/1998	PRIOR 2 SURVEY 11/1999	SURVEY	CURRENT SURVEY 11/15/2001	PLAN/DATE OF CORRECTION		PROGRAM REQUIREMENTS
X			X C	12/14/2001	STD	W0109-COMPLIANCE WITH SANITATION LAWS
			X C	12/12/2001	STD	W0339-NURSING SERVICES INCLUDES OTHER CARE AS PRESCRIBED BY PHY
			X C	12/14/2001	STD	W0365-INDIVIDUAL MEDICATION ADMINISTRATION RECORD MAINTAINED
			X C	12/14/2001	STD	W0488-CLIENTS EAT IN MANNER CONSISTENT WITH DEVELOPMENT LEVEL

Ω

EDITION OF LSC APPLIED 1985 1985 1985

PRIOR 3 PRIOR 2 PRIOR 1 CURRENT PLAN/DATE OF CORRECTION SURVEY LSC DEFICIENCIES - BLDG NO. 01 SURVEY SURVEY SURVEY 10/1998 11/1999 11/2000 11/15/2001

Χ K0018-CORRIDOR DOORS 11/28/2001 ХC K0020-STAIRWAY ENCLOSURES AND VERTICAL SHAFTS Χ K0053-AUTOMATIC SMOKE DETECTION SYSTEM X

K0130-OTHER

TYPE OF DEFICIENCY	CURRENT SURVEY	PRIOR 1 SURVEY	PRIOR 2 SURVEY	PRIOR 3 SURVEY
CONDITION	0	0	0	0
STANDARD	4	0	0	1
REGIONAL OFFICE FLAG (INCLUDES COPS)	0	0	0	0
HEALTH TOTAL	4	0	0	1
LIFE SAFETY CODE	1	2	0	1
LIFE SAFETY CODE + HEALTH	5	2	0	2

STATUS OF DEFICIENT COPS CURRENT SURVEY

Ω

DEFICIENCY NOT DEFICIENCY CORRECTED REPEAT COP CORRECTED AFTER APPROVAL DEFICIENCY

COMPLAINT SURVEY INFORMATION

SURVEY DATE STATUS

COP

10/06/1998 SUBSTANTIATED

FMS SURVEY INFORMATION

\* NO FMS SURVEYS FOR THIS FACILITY

C=DATE OF CORRECTION N=NO DATE GIVEN
\* = REGIONAL OFFICE FLAG (INCLUDES COPS) P=PLAN OF CORRECTION R=REFUSED TO CORRECT W=WAIVED ELE = ELEMENT STD = STANDARD COP = CONDITION X=DEFICIENT